## DEODORANT

Publication number: JP2286165 Publication date: 1990-11-26

1000 11 20

Inventor: YAMAJI KEIZO; MURAKAMI SAKIKO; NAWATA

KIMIKO

Applicant: KANEBO LTD

Classification:

- international: A61K8/00; A61K8/64; A61L9/01; A61Q11/00;

A61Q15/00; A61K8/00; A61K8/30; A61L9/01; A61Q11/00; A61Q15/00; (IPC1-7): A61K7/16;

A61K7/32; A61L9/01

- European:

Application number: JP19890108253 19890427 Priority number(s): JP19890108253 19890427

Report a data error here

## Abstract of JP2286165

PURPOSE:To obtain the deodorant applicable for intraoral use in a wide range by using the high-polymer fraction of a specific mol wt. obtd. by protease decomposition of separated soy bean protein as the effective component. CONSTITUTION:Dry green soy beans are roughly ground and after the skin is removed therefrom, the soy beans are further ground to <30 mesh powder. The powder is degreased by using n-hexane or a soln. mixture composed of methanol and chloroform as a solvent and is dissolved by a weakly alkaline soln. The soln. is subjected to a solid-liquid sepn. by a centrifugal sepn. or the like. The separated solid is freeze-dried after washing with water and is separated by which the soy bean protein is obtd. This protein is sufficiently decomposed by the protease and after the oxygen is deactivated, the protein is subjected to the solid-liquid sepn. by the centrifugal sepn. or the like. The residues thereof are dissolved again in the alkaline soln. of the weak alkalinity and <100000 fractions are removed by an ultrafilter membrane of 1000000ml.wt. The remaining soln. of >= 100000 fractions is subjected to isoelectric point precipitation to recover the protein is freezed-driften freezed-freed protein. After the protein is freezed-driften freezed-freed protein is freezed-driften freezed.

Data supplied from the esp@cenet database - Worldwide